

Lecture 2 : Computer System and Programming


1

Computer?

- a programmable machine that
 - Receives input
 - Stores and manipulates data
 - Provides output in a useful format

Computer System

- **Computer System**
 - Hardware + Software
- **Computer Hardware**




3

Computer Hardware

- **CPU (Central Processing Unit)**
 - Processing program instructions (one by one)
 - Basic program instructions : add/subtract/multiply/div, read/write, jump, test
 - **Cache** : duplicating original data stored in slow storage into faster storage
- **Main Memory (e.g. RAM)**
 - **Volatile** : when power turned off, data in the memory will be erased
 - Storing program and data
 - Fast, small, and expensive
- **Secondary Memory (e.g. HDD, CD/DVD, ...)**
 - **Non volatile**
 - Relatively slow, large, and cheap
- **I/O(Input/Output) Device**
 - Help interaction between computer and human beings.
 - Keyboard, mouse, monitor, etc

4


Memory and Data



5

Program Execution

- von Neumann architecture




6

Software

- system software
 - Efficient management of computer system and resources
 - Operating System, compiler, debugger
- application software
 - All kinds of software other than system software
 - Wordprocessor, spreadsheet(excel), graphics SW, artificial intelligence SW, Game SW, Statistics SW, medical SW

7

Software Layers



8

Data Representation

Binary number

- Computer uses binary number
- 1bit can represent 0 or 1
- N bit number can represent up to 2^N

1 bit	2 bit	3 bit	4 bit
0	00	000	0000
1	01	001	0001
	10	010	0010
	11	011	0011
		100	0100
		101	0101
		110	0110
		111	0111
			1000
			1001
			1010
			1011
			1100
			1101
			1110
			1111

Binary number, decimal number

Decimal number

- Use 0 - 9
- $182 = 1 \times 10^2 + 8 \times 10^1 + 2 \times 10^0$
 $= 1 \times 100 + 8 \times 10 + 2 \times 1$

Binary number

- Use 0 and 1
- $1101_2 = 1 \times 2^3 + 1 \times 2^2 + 0 \times 2^1 + 1 \times 2^0$
 $= 1 \times 8 + 1 \times 4 + 0 \times 2 + 1 \times 1$
 $= 13$

Programming Language

Language for programming computer processing

- Machine readable language designed to express computations that can be performed by a computer
- Specify behavior of machine, express algorithms
- Human-Computer Communications

Machine language

- Binary code
- 1001 0001 store value at address 0001 into accumulator
- 1100 0010 add value at address 0010 into accumulator

Assembly Language

- Symbolization of machine language binary code
- LOAD Y
- ADD Z

Programming Language

High level language

- Easy to use (read and write) , human friendly
- Programmer does not need to know details of machine control.
- More portable (machine independent)

$$X = Y + Z$$

example

- FORTRAN, COBOL, BASIC, C, C++, Java

High Level Programming Language

- **FORTTRAN(FORmula TRANslation)**
 - Created in 1957 by John Backus (IBM)
 - General purpose PL especially suited For scientific computation
- **COBOL(COMmon Business Oriented Language)**
 - Created in early 1960s
 - Primarily used for business, finance in companies and government
- **BASIC(Beginner's All-purpose Symbolic Instruction Code)**
 - Easy to learn and use for beginners

13


High Level Programming Language

- **C**
 - Made by Dennis Ritchie (AT&T Bell Lab)
 - made for developing UNIX OS (1970s)
 - High level language with low level language properties (pointers,...)
- **C++**
 - Made by B. Stroustrup (AT&T Bell Lab)
 - OOP(Objcet Oriented Programming Language) extending C
- **Java**
 - Made by James Gosling (Sun Microsystems, 1990s)
 - Platform independent OOP

14

Programming and Execution

- **Programming Tool**
 - Editor, Compiler, Interpreter, Debugger, and etc
 - Integrated Development Environment (**IDE**)



15

Error

- **compile-time error**
 - Error occurring during compilation
 - Grammar check
 - Cannot execute if there is compile error
- **logical error**
 - Grammar is OK but logical error
- **run-time error**
 - Abnormal termination owing to unexpected reasons during program execution
 - Ex) divided by zero, illegal memory access

16

Debugging

- **debugging**
 - Bug : program error
 - Debugging : bug correction

17

Compiler / Interpreter

- Compiler
 - Convert high level language to low level language
(occur at compile-time)
- Interpreter
 - Compile and execute the program line by line
(occur at run-time)
- Comparison?

18